


4-PIECE HEAVY-DUTY BLOW GUN SET

OPERATOR'S MANUAL

STORE THIS MANUAL IN A SAFE
PLACE FOR FUTURE REFERENCE

SATISFACTION GUARANTEED

Satisfaction is guaranteed. If for any reason you are not completely satisfied with your purchase, please return it to any Tractor Supply Co.® store.



SATISFACTION GUARANTEED

Satisfaction is guaranteed. If for any reason you are not completely satisfied with your purchase, please return it to any Tractor Supply Co.® store.

   
Distributed by:
TRACTOR SUPPLY COMPANY
5401 VIRGINIA WAY
BRENTWOOD, TN 37027
For customer support, call: 1-888-376-9601
www.TractorSupply.com



WARNING: BEFORE USE, READ AND UNDERSTAND OPERATOR'S MANUAL. Improper operation or maintenance of this product could result in serious injury and property damage. Read and understand all warnings and operation instructions before using this equipment. When using air tools, basic safety precautions should always be followed to reduce the risk of personal injury.

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Wash hands after handling.

WARNING: Contains lead. May be harmful if eaten or chewed. May generate dust containing lead. Keep out of the reach of children.

SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate or install the product.


- Keep the work area well lit and free of clutter. Slips, trips and falls are major causes of workplace injury. Be aware of excess air hose left on your walking way or on the working surface.
- Dress properly. Do not wear loose clothing. Tie up or cover long hair, remove any jewelry, necklaces, etc., which might become caught by the tool.
- Stay alert and use common sense. Watch what you are doing. Do not operate the tool when you are tired or under the influence of alcohol, drugs or medication.
- Do not overreach. Keep proper footing and balance at all times.
- Always wear eye protectors which provides protection from flying particles from the front and side when using the tool. Ear protectors should also be worn.
- Always verify prior to using this tool that the air source has been adjusted to the rated air pressure range. Never connect to an air source that is capable of exceeding 200 PSI.
- Do not exceed the maximum working pressure 90 PSI/6.3 BAR for the tool. Excessive pressure might cause a hazardous situation.
- Check the air supply hose for wear and/or leaks before each use. Make sure that all connections are tight and secure.
- Always disconnect the tool from air supply before replacing any accessories, performing any repair and maintenance, moving to another work area, or passing the tool to another person.
- Do not use the tool for any other than its intended use.
- Keep visitors a safe distance from the work area. Keep children away.
- Always maintain the tool with care. Keep it clean for the best and safest performance.

PRODUCT SPECIFICATIONS

Working pressure:	90 PSI (6.3 BAR)
Max. pressure:	120 PSI
Air inlet:	1/4 in. NPT (F)

PACKAGE CONTENTS

PART	DESCRIPTION	QUANTITY
A	Air blow gun	1
B	3 in. Nozzle	1
C	6 in. Extension	1
D	9 in. Extension	1
E	Trigger	1
F	Air inlet	1



INTENDED USE

This heavy-duty air blow gun features high volume of air flow, with interchangeable nozzle as needed, up to 9 ft. The extreme flow nozzle is capable of moving large volumes of debris/dust. It increases the velocity and volume of air exiting the nozzle boosting the available thrust up to 250% by drawing ambient air through two side ports. In case a deadhead occurs with the nozzle, air will exit the two side ports.

Use when maximum cleaning force is needed to move large amounts of debris/dust from heavy equipment, large machinery, and other working sites, etc.

ASSEMBLY INSTRUCTIONS

1. Take out the blow gun (A). Install the 3 in. nozzle (B) to the gun. (See Figure 1)
2. Apply either 6 in. extension (C) or 9 in. extension (D) or both to the 3 in. nozzle (B) as needed to reach deep areas. (See Figure 2)
3. Connect air supply hose (not included) to the air inlet (F). Use seal tape (not included) for airtight connection. Do not overtighten.
4. Set the working pressure of 90 PSI Max.

NOTE: Working pressure refers to the air line pressure set to the tool when the tool is under working conditions.




Figure 1




Figure 2

OPERATION INSTRUCTIONS

1. Press the trigger (E). Then the tool starts air blowing.
2. Release the trigger after operation.
3. Disconnect air supply hose from the tool after each use.

! WARNING: This product is not a SAFETY BOW GUN and does not have a safety bypass to prevent tip pressure buildup in the event of tip blockage. This blow gun is designed for compressed air lines only. Do not use this blow gun on air lines that are not regulated. Always wear eye protection.

OPERATION INSTRUCTIONS

1. Disconnect the tool from air supply after each use.
2. Clean the tool all over with a cotton rag. Keep the tool in a dry and safe place out of reach of children.