



HIGH WHEEL HOSE REEL CART

OWNER'S MANUAL



WARNING:

Read carefully and understand all **ASSEMBLY AND OPERATION INSTRUCTIONS** before operating. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury.

MODEL# YTF-200HW16

Thank you very much for choosing a Yard Tuff product. For future reference, please complete the owner's record below:

Model: _____ YTF-200HW16 _____ Purchase Date: _____

Save the receipt, warranty and these instructions. It is important that you read the entire manual to become familiar with this product before you begin using it.

This product is designed for certain applications only. The manufacturer or distributor cannot be responsible for issues arising from modification. We strongly recommend this product not be modified and/or used for any application other than that for which it was designed. If you have any questions relative to a particular application, DO NOT use the product until you have first contacted the distributor to determine if it can or should be performed on the product.

For technical questions please call **1-218-943-6296**.

INTENDED USE

This heavy-duty hose reel cart features a strong, tubular steel frame and foam padded handle. It rolls easily on 16in. wheels. This cart holds up to 200 feet of 5/8in. garden hose (not included).

TECHNICAL SPECIFICATIONS

Item	Specification
Tire size	16in.
Inlet hose	6ft
Stores/Maintains hose	200ft (not included)
Hose Diameter	5/8in.

GENERAL SAFETY RULES



WARNING: Read and understand all instructions. Failure to follow all instructions listed below may result in serious injury.



CAUTION: Do not allow persons to operate or assemble this hose reel cart until they have read this manual and have developed a thorough understanding of how the hose reel cart works.



WARNING: The warnings, cautions, and instructions discussed in this instruction manual cannot cover all possible conditions or situations that could occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.

SAVE THESE INSTRUCTIONS

WORK AREA

- **Keep work area clean**, free of clutter and well lit. Cluttered and dark work areas can cause accidents.
- **Keep children and bystanders** away while assembling or operating the hose reel cart. Distractions can cause you to lose control, so visitors should remain at a safe distance from the work area.
- **Be aware of all power lines, electrical circuits**, water pipes and other mechanical hazards in your work area, particularly those hazards below the work surface hidden from the operator's view that may be unintentionally contacted and may cause personal harm or property damage.
- **Be alert of your surroundings**. Using the hose reel in confined work areas may put you in a dangerous situation.









PERSONAL SAFETY

- **Stay alert**, watch what you are doing and use common sense when using the hose reel cart. Do not use the hose reel cart while you are tired or under the influence of drugs, alcohol or medication. A moment of inattention while operating the hose reel cart may result in serious personal injury.
- **Dress properly**. Do not wear loose clothing, dangling objects, or jewelry. Keep your hair, clothing and gloves away from moving parts. Loose clothes, jewelry or long hair can be caught in moving parts.

HOSE REEL USE AND CARE

- **Do not modify the hose reel cart in any way**. Unauthorized modification may impair the function and/or safety and could affect the life of the equipment.
- **Always check for damaged or worn out parts before using the hose reel cart**. Broken parts will affect the hose reel cart operation. Replace or repair damaged or worn parts immediately.

ASSEMBLY
















Step 1		Step 2	
	Assemble the Axle (6#) into the Frame (#1)		Attach the Two Wheels (#5) using Washer and lock nuts (14#) (15#)
Step 3		Step 4	
	Assemble the hose reel (#2) onto the Frame (#1) using Bolts, washer and lock nuts (10# 12# 13#)		Assemble the Crank Handle (#7) into the hose reel (#2) using one bolt, washer and lock nut (11 # 12# 13#)
Step 5		Step 6	
	Assemble the U Handle (#3) into the Frame (#1) using Bolts, washer and lock nuts (10# 12# 13#).		Assemble the basket (#4) into the U handle (#3) using Bolts, washer and lock nuts (10# 12# 13#).
Step 7		Step 8	
	<p>Place rubber washer (#9) into female end of water coupling on hose reel (#2) drum. Attach the male end of leader hose (#8) to water coupling on hose reel (#2) drum. Attach the female end of leader hose (#8) to the water supply spigot.</p> <p>Attach end of garden hose (not supplied) to threaded garden hose connector inside hose reel drum (#2), then wind garden hose around hose reel drum.</p>		

NOTE: The hose reel will hold up to 200' of 5/8" garden hose. (Garden Hose Not Included)

MAINTENANCE

- **Maintain your hose reel cart.** It is recommended that the general condition of the hose reel cart be examined before it is used. Keep the hose reel cart in good repair by adopting a program of conscientious repair and maintenance in accordance with the recommended procedures found in this manual.
- **Keep the hose reel cart clean.** A properly maintained hose reel cart will work more effectively. Keep all of parts dry, clean, and free from oil and grease.
- **Cleaning.** Use only soap and a damp cloth to clean your hose reel cart.

DIAGRAM & PARTS LIST

		
1# Frame (1pc)	2# Hose Reel (1pc)	3 # U- Handle (1pcs)
		
4# Basket (1pc)	5 # 16 in Wheel (2 pc)	6# Alxe (1pc)
		
7# Crank Handle (1pc)	8# Leader Hose (1pc)	9# Rubber Washer (2pc)
		
10# Bolt (M6x35) (8pcs)	11# Bolt (M6x25) (1pcs)	12# Lock Nut (M6) (9pcs)
		
13# Flat Washer (6mm) (9pcs)	14 # Flat Washer (12mm) (2pcs)	15# Lock Nut (M12) (2pcs)

One-year limited warranty



Distributed by
 TG
 PO BOX 203
 Miltona, MN 56354