



LOAD-A-PUP

MODEL: LP500

⚠ WARNING

READ ALL INSTRUCTIONS BEFORE USING THE LOAD-A-PUP

NOTE: FAILURE TO READ INSTRUCTIONS BEFORE USE COULD RESULT IN INJURY OR DEATH.

NOTE: ALL INITIAL INSTALLATION ADJUSTMENTS TO THE LOAD-A-PUP SHOULD BE MADE PRIOR TO LAUNCHING THE BOAT.

Instructions for Installation and Use:

CONTENTS: SEE FIGURE 1

- 1- LOAD-A-PUP PLATFORM ASSEMBLY WITH PRE-INSTALLED CABLES AND "U" BRACKET
- 1- LADDER MOUNTING BRACKET
- 1- LOAD-A-PUP SECURITY STRAP WITH SNAP HOOK
- 2- LADDER CINCHING STRAPS
- 2- 1/4" X 1" BOLTS
- 2- NYLON WASHERS
- 4- FLAT WASHERS
- 2- 1/4" LOCKNUTS




FIG. 2

STEP 1-INSTALLING LADDER MOUNTING BRACKET-SEE FIGURE 2

SELECT THE PROPER HOLES IN THE LADDER MOUNTING BRACKET THAT WILL ALLOW FOR A SECURE FIT TO LADDER RUNG. ASSEMBLE THE LADDER MOUNTING BRACKET TO THE LOAD-A-PUP PLATFORM ASSEMBLY USING 2- 1/4" X 1" BOLTS, 4- FLAT WASHERS, 2- 1/4" LOCKNUTS & 2- NYLON WASHERS. TIGHTEN SECURELY.

****NOTE**** THE 2 NYLON WASHERS ARE TO BE PLACED BETWEEN THE LADDER MOUNTING BRACKET AND THE UPRIGHTS OF THE LOAD-A-PUP PLATFORM ASSEMBLY.

STEP 2-SEE FIGURE 3
PLACE LOAD-A-PUP ONTO DESIRED
RUNG OF BOAT LADDER.



FIG. 3



FIG. 4



FIG. 4A



FIG. 4B

**STEP 3-INSTALLING
SECURITY STRAP WITH SNAP
HOOK-SEE FIGURE 4 & 4A**

TO SECURE THE LOAD-A-PUP
TO THE BOAT, INSTALL THE
LOAD-A-PUP SECURITY STRAP
WITH SNAP HOOK. ATTACH
THE END OF THE STRAP
WITHOUT THE SNAP HOOK TO
A SECURE POINT ON THE BOAT
AND CLIP THE SNAP HOOK
ONTO THE BOLT IN THE “U”
BRACKET.

**FIGURE 4B-INSTALLING
CINCHING STRAPS**

UNSNAP THE BUCKLES ON THE
2 LADDER CINCHING STRAPS
AND PLACE AROUND THE
UPRIGHT SECTION OF THE
LOAD-A-PUP PLATFORM
ASSEMBLY AND THE LADDER
RUNGS. POSITION ONE STRAP
ON EACH SIDE OF LADDER
MOUNTING BRACKET & SNAP
BUCKLES BACK TOGETHER.
PULL UNTIL TIGHT.

**STEP 4-INSTALLATION COMPLETE-SEE
FIGURE 5**

ONCE PROPERLY INSTALLED THE LOAD-A-
PUP WILL REST SECURELY ON THE
LADDER RUNG AND BE READY FOR USE.



FIG. 5

⚠ WARNING

LOAD-A-PUP IS NOT DESIGNED OR APPROVED FOR HUMAN USE

⚠ WARNING

NEVER USE THIS PRODUCT FOR ANYTHING OTHER THAN THE INTENDED USE

⚠ WARNING

DO NOT USE THIS PRODUCT IN EXTREME WEATHER CONDITIONS i.e., LIGHTNING, HIGH WINDS, ROUGH/CHOPPY WATER

⚠ WARNING

MAXIMUM WEIGHT CAPACITY IS 200 LBS.

⚠ WARNING

MAKE SURE THAT SECURITY STRAP WITH SNAP HOOK IS ALWAYS ATTACHED TO PREVENT PRODUCT LOSS.

⚠ CAUTION

***NOT FOR HUMAN USE**

***FOR USE WITH DOGS WEIGHING 200 LBS. OR LESS**

***DO NOT ALLOW DOG ON PLATFORM WHILE BOAT IS MOVING**

***DO NOT USE ON BOATS LESS THAN 14 FEET IN LENGTH**

***SIDES OF BOAT MUST BE 15 INCHES TALL OR TALLER**

***DO NOT USE ON A CANOE OR PIROGUE**

***DO NOT USE AS A DIVING PLATFORM**

***DO NOT USE AS A HUNTING STAND**

***REMOVE UNIT FROM LADDER BEFORE TRAVELING**

For more information about this or other products, contact us at:

Great Day, Inc.

604 Kimbrough Dr. * Tallulah, LA 71282

* (866) 649-1918 * www.greatdayinc.com