

MERCK ANIMAL HEALTH

Intervet Inc.

2 GIRALDA FARMS, MADISON, NJ, 07940

Customer Service: 800-521-5767

Order Desk: 800-648-2118

Technical Service (Companion Animal): 800-224-5318

Technical Service (Livestock): 800-211-3573

Fax: 973-937-5557

Website: www.merck-animal-health-usa.com



Every effort has been made to ensure the accuracy of the information published. However, it remains the responsibility of the readers to familiarize themselves with the product information contained on the USA product label or package insert.

Piliguard[®] Pinkeye-1 TRIVALENT

Intervet/Merck Animal Health

MORAXELLA BOVIS BACTERIN

For use in healthy cattle to aid in the control of pinkeye associated with infection by *Moraxella bovis* strains expressing pili similar to those expressed by isolates referred to by Intervet Inc. as Strains Epp 63, Fla 64 and SAH 38.

ADMINISTRATION: Shake well before use. The vaccine may be warmed to room temperature prior to injection. Using aseptic technique, inject 2 mL subcutaneously or intramuscularly INTO THE NECK 3 to 6 weeks prior to onset of pinkeye season. Annual revaccination is recommended.

CAUTION: Use may occasionally lead to development of granulomas which may persist for several weeks. Store at 2°-7°C (35°-45°F). Do not freeze. Use entire contents when first opened. Do not vaccinate within 60 days of slaughter. Transient local reaction may occur at the injection site. If anaphylaxis occurs administer epinephrine. Hypersensitivity reactions may occur with a biological product and can cause temporary reduced milk production in lactating cattle.

PRESERVATIVE: Gentamicin.

WARNING: Extreme caution should be used when injecting any oil emulsion vaccine to avoid injecting your own finger or hand. Accidental injection can cause serious local reaction. **Contact a physician immediately if accidental injection occurs.**

FOR ANIMAL USE ONLY

Intervet Inc., Merck Animal Health, division of Intervet Inc., Omaha, NE 68103 USA

U.S. Vet Lic. No. 165A

1 800 521-5767 (USA)

For patent information:

<http://www.merck.com/product/patent/home.html>

		Code	
10 Doses	20 mL	065410	144541-17
50 Doses	100 mL	143130	143009-01

CPN: 1047153.5